


Pattern Number: **1587A / B**


California Dry Stack

1-1/4" (32mm) depth - Stone sizes 3" to 24". - rotate and match points on all four sides. Also both patterns match




Spec Formliners, Inc.

Impressive on Concrete




1587A



1587B

Two interchanging tools for extended random rock pattern layouts



Visit www.specformliners.com for application guides and technical information

ThermoSpec™
SINGLE OR MULTI-USE PLASTIC

Property	HIPS	ABS
Tensile D638	3700	5300
IFlexural D7905	-	9300
Hardness D786	-	105
Material Weights - lbs/ft²		
0.070 MIL	0.110 MIL	0.150 MIL
0.393	0.621	0.843
Thicknesses Available		
0.070, 0.090, 0.110, 0.145, 0.155, 0.180		

ElastoSpec Lite™ Semi-Elastomeric
MULTI-USE MATERIAL

Property	ASTM	Rating
Shore A/D	D2240	40D/90A
Tensile	D412	1900 psi
Elongation	D412	300%
Tear Strength	D2370	23 MPa
Material Weights - lbs/ft²		
Varies by Pattern		
Maximum Thickness		
1/4" + Relief		

ElastoSpec™ 100% Solid Urethane
BONDED TO 3/4" PLYWOOD

Property	ASTM	Rating
Shore A	D2240	55-65
Tensile	D412	1400 psi
Elongation	D638	600%
Tear Strength	D624	200 pli
Material Weights - lbs/ft²		
Varies by Pattern		
Maximum Thickness		
1-1/8" + Relief		

Call for ThermoSpec™ Standard Panel Sizes on this pattern. Custom Sizes and Art Panels available

ElastoSpec™ Customized Panel Sizes and Art Panels




Pattern Number: **1587A**

California Dry Stack

1-1/4" (32mm) depth - Stone sizes 3" to 24". - rotate and match points on all four sides. Also matches with pattern 1587B

Spec Formliners, Inc.

Impressive on Concrete



Note: Panels match top and bottom, side to side and rotated 180°. *Panels also match with 1587B.





Spec Formliners, Inc.

Impressive on Concrete

Pattern Number: **1587B**

California Dry Stack

1-1/4" (32mm) depth - Stone sizes 3" to 24". - rotate and match points on all four sides. Also matches with pattern 1587A



Note: Panels match top and bottom, side to side and rotated 180°. *Panels also match with 1587A.